

METHYLENE CHLORIDE

Chemical Formula: CH₂Cl₂

At SUNLINKS, we bring the premium quality products manufactured by the state-of-the-art technologies. Methylene Chloride is manufactured by Technology of Shin Etsu, Japan since 1986.

Advantages:

- We guarantee minimum 99.9% pure Methylene Chloride of international quality.
- QCD is equipped with most modern instruments to analyse special test on request.

opeenied lief.					
Sr	Characteristic	Specific	Specification		
1	Colour	APHA	10.00	max	
2	Sp. Gravity (15C/4C)	1.332/1.	1.332/1.340		
3	Purity	%	99.90	min	
4	Methyl Chloride	ppm	20.00	max	
5	Chloroform	ppm	40.00	max	
6	Carbon Tetrachloride	ppm	10.00	max	
7	Trans 1-2 Dichloroethylene	ppm	80.00	max	
8	Moisture	ppm	200.00	max	
9	Free Chlorine	ppm	1.00	max	
10	Acidity	ppm	1.00	max	

Specifications:

Applications:

- Manufacturing of Polycarbonates, Phenolics, Rayon yarn
- Solvent for Cellulose Acetates, Photo-resist, Tablet film coatings
- Paint & Grease removing agent
- Fire fighting agent
- Extractant for Edible fats, Cocoa, Butter and Essences
- Adhesives for Polymethyl Methacrylate
- Aerosol Propellant, Refrigerant
- Chemical reaction media
- Low temperature heat transfer medium

Production Capacity:

• 60 Metric Tonnes/day

Exclusive Features:

- Colourless & non-flammable. Boiling Point : 40.4C, clear liquid with stability upto 60C
- Low toxicity and safe in handling

Address: 1307-09, 13th Floor, Sun Central Place, Nr. Bopal Crossroad, SP Ring Road, Ambli, Ahmedabad 380058, Gujarat, India Contact: +919925002495 / +919825005795 | Email: info@sunlinksindia.com



SUN LINKS INDIA PYT LTD

Packaging:

- Zinc coated GI Barrels of 250 kg net weight for Export
- 250 kg net weight HM-HDPE Barrels for Domestic Market
- 40 kg net weight HM-HDPE Drums for Domestic Market

Product List:

Dimethyl Sulphate | Sulphuric Acid 70 % | Aluminum Sulphate (Non Ferric Alum) | Oleum 23% / 65% | Battery

Grade Sulphuric Acid | Sulphur Trioxide (SO3) | Chloro Sulphonic Acid | Sulfamic Acid